

CUBICLE/SERVICE AREA EXTRACT FANS (CEILING MOUNTED) - VENT-AXIA T SERIES PIR OR SIMILAR (MIN > 6 AIR CHANGES PER HOUR)


STORAGE AREA EXTRACT FAN (CEILING MOUNTED) - VENT-AXIA T SERIES PIR OR SIMILAR (MIN > 6 AIR CHANGES PER HOUR)

CEILING HEIGHT APPROX 2400mm FROM FFL

A - LOW ENERGY LED DOWNLIGHT FITTING VIA PIR SENSOR

AE - LOW ENERGY LED DOWNLIGHT FITTING w/EMERGENCY VIA PIR SENSOR

B - STRIP LED / VANDAL RESISTANT ON TIMER

 - FIRE EXIT AND EMERGENCY LIGHT

Revision Schedule		
Revision Number	Revision Description	Revision Date
1	FISRT ISSUE	05/06/26



STATUS CONSTRUCTION	DRWN BY AH	DATE 28/05/26	PROJECT PROPOSED REFURBISHMENT OF PUBLIC TOILET
CLIENT WILTON TOWN COUNCIL	CHKD BY Checker	DATE	DWG TITLE CEILING LAYOUT
SCALE 1 : 35 @ A3	DRAWING No C2000 -003	01	